```
? s (two or several) (5n) antibod?
         4358242 TWO
          998019 SEVERAL
        1183113 ANTIBOD?
          39172 (TWO OR SEVERAL) (5N) ANTIBOD?
? s detect? or diagno?
Processing
         2045105 DETECT?
        2389383 DIAGNO?
      S2 4138536 DETECT? OR DIAGNO?
? s s1 and s2
           39172 S1
         4138536 S2
          15916 S1 AND S2
? s minute?? or hour?? or min or hr
         260754 MINUTE??
          451185 HOUR??
          592299 MIN
         154379 HR
      S4 1289621 MINUTE?? OR HOUR?? OR MIN OR HR
? s s3 and s4
          15916 S3
        1289621 S4
            743 S3 AND S4
     S5
? s s5 and py<=1996
Processing
Processing
            743 S5
       29189387 PY<=1996
     S6
           570 S5 AND PY<=1996
? s rotation
     S7 454277 ROTATION
? s s6 and s7
            570 S6
         454277 S7
     S8
              2 S6 AND S7
? rd
>>>Duplicate detection is not supported for File 340.
>>>Records from unsupported files will be retained in the RD set.
...completed examining records
           1 RD (unique items)
     S9
? t s9/3, k, ab/1
9/3,K,AB/1
              (Item 1 from file: 55)
DIALOG(R) File 55:Biosis Previews(R)
(c) 2000 BIOSIS. All rts. reserv.
```

08869937 BIOSIS NO.: 199396021438

Influence of horizontal clinostat **rotation** on plant proteins: 1.

Effects on ubiquitinated polypeptides in the stroma and thylakoid membranes of Vicia faba L. chloroplasts.

AUTHOR: Wolf Doris; Schulz Margot; Schnabl Heide

AUTHOR ADDRESS: Inst. fuer Landwirtschaftliche Botanik, Universitaet Bonn,

Meckenheimer Allee 176, 5300 Bonn 1**Germany

JOURNAL: Journal of Plant Physiology 141 (3):p304-308 1993

ISSN: 0176-1617

DOCUMENT TYPE: Article RECORD TYPE: Abstract LANGUAGE: English

ABSTRACT: Proteins of the stroma and thylakoid membrane fractions of isolated chloroplasts from leaves of Vicia faba L. were investigated after clinostat rotation by SDS-PAGE and Western-immunoblot analysis with anti-ubiquitin antibodies. Two-week-old plants were rotated 15 and 24 hours on a slow clinostat. After a 24-h rotation, marked quantitative and qualitative changes in the polypeptide profile of thylakoid membrane proteins were found. Proteins of the stroma fraction (18 kDa and 57 kDa) revealed qualitative modifications. Thylakoid membrane proteins (15 kDa and about 20 and 30 kDa) exhibited changes in the immunoresponse to ubiquitin antibodies. The most obvious alterations of immunoreactive thylakoid membrane proteins were detected after 24 hours of rotation in the molecular range of about 20 and 30 kDa. The ubiquitination of these membrane-bound proteins is strongly diminished. This phenomenon probably indicates selective degradation of proteins through the ubiquitin pathway or of the appearance of new conjugates with unknown function. Protein samples of the stroma fraction showed an increased ubiquitination of the large subunit of the RuBPCase after either 15 h or 24 h of clinostat rotation. Free ubiquitin could be proved only in the 24 h treated samples. A changed protein turnover in soluble and membrane bound proteins of the chloroplasts after prolonged rotation on a slow clinostat is assumed.

Influence of horizontal clinostat **rotation** on plant proteins: 1. Effects on ubiquitinated polypeptides in the stroma and thylakoid membranes of...

...ABSTRACT: membrane fractions of isolated chloroplasts from leaves of Vicia faba L. were investigated after clinostat rotation by SDS-PAGE and Western-immunoblot analysis with anti-ubiquitin antibodies. Two-week-old plants were rotated 15 and 24 hours on a slow clinostat. After a 24-h rotation, marked quantitative and qualitative changes in the polypeptide profile of thylakoid membrane proteins were found...

...the immunoresponse to ubiquitin antibodies. The most obvious alterations of immunoreactive thylakoid membrane proteins were **detected** after

24 hours of rotation in the molecular range of about 20 and

30 kDa. The ubiquitination of these membrane...

...the large subunit of the RuBPCase after either 15 h or 24 h of clinostat rotation. Free ubiquitin could be proved only in the 24 h treated samples. A changed protein turnover in soluble and membrane bound proteins of the chloroplasts after prolonged rotation on a slow clinostat is assumed.

```
Set
        Items
                Description
        39172
S1
                (TWO OR SEVERAL) (5N) ANTIBOD?
      4138536
S2
                DETECT? OR DIAGNO?
S3
        15916
                S1 AND S2
      1289621
S4
                MINUTE?? OR HOUR?? OR MIN OR HR
$5
          743
                S3 AND S4
S6
          570
                S5 AND PY<=1996
       454277
s7
                ROTATION
S8
                S6 AND S7
S9
            1
                RD (unique items)
         3704
S10
                HAK?
S11
        24300
                SHAK?
? s s6 and s11
             570 S6
           24300 S11
     S12
               4 S6 AND S11
? rd
>>>Duplicate detection is not supported for File 340.
>>>Records from unsupported files will be retained in the RD set.
...completed examining records
     S13
               2 RD (unique items)
? t s13/3, k, ab/1-2
                 (Item 1 from file: 155)
13/3, K, AB/1
DIALOG(R) File 155: MEDLINE(R)
(c) format only 2000 Dialog Corporation. All rts. reserv.
```

. . . . 👡

Set	Items	Description
S1	39172	(TWO OR SEVERAL) (5N) ANTIBOD?
S2	4138536	DETECT? OR DIAGNO?
S3	15916	S1 AND S2
S4	1289621	MINUTE?? OR HOUR?? OR MIN OR HR
S5	743	S3 AND S4
S6	570	S5 AND PY<=1996
s 7	454277	ROTATION
S8	2	S6 AND S7
S9	1	RD (unique items)
S10	3704	HAK?
S11	24300	SHAK?
S12	4	S6 AND S11
S13	2	RD (unique items)
S14	7419	GENTLE
? s	s6 and s14	

570 S6 7419 S14 S15 0 S6 AND S14